



# Contents

- 1 Introduction.....2
- 2 Signal Descriptions.....3
  - 2.1 GPIB Interface Notes.....7
- 3 Register Set.....9
  - 3.1 Data Registers.....9
  - 3.2 Interrupt Registers.....10
    - 3.2.1 Interrupt Bits in the Interrupt Status Registers.....10
    - 3.2.2 Non Interrupt Bits in the Interrupt State Registers.....10
  - 3.3 Serial Poll Register.....11
  - 3.4 Address Mode and Status Registers.....11
  - 3.5 Address Registers.....12
  - 3.6 Command Pass Through Register.....13
  - 3.7 EOS Register.....13
  - 3.8 Auxiliary Registers.....13
    - 3.8.1 Auxiliary commands.....13
    - 3.8.2 Parallel Poll Register.....14
    - 3.8.3 Auxiliary Register A.....15
    - 3.8.4 Auxiliary Register B.....15
    - 3.8.5 Auxiliary Register E.....16
- 4 Using the iGPIB 72110.....17
  - 4.1 Processing Undefined Commands.....17
  - 4.2 Processing Address Pass Through.....17
  - 4.3 Transmitting Data.....17
  - 4.4 Receiving Data.....18
  - 4.5 Completing Data Block Transfer.....18
  - 4.6 Serial Polling.....19
  - 4.7 Parallel Poll Protocol.....19
- 5 Timing Specifications.....20
- 6 Electrical Specifications.....21
- 7 Mechanical and Chemical Specifications.....23
  - 7.1 RoHS Conformance.....23
- 8 Mechanical and Chemical Specifications.....24
  - 8.1 RoHS Conformance.....24

# 1 Introduction

The iGPIB 72110 provides an interface between a microprocessor system and the GPIB specified in the IEEE Std. 488.1-1987 and 488.2-1987. The design is fully synchronous which provides for enhanced reliability compared to asynchronous ASIC designs. The iGPIB 72110 is used with low-cost external drivers that implement the interface to the GPIB bus lines (3.3/5.0 VIO). Alternatively, SN75160/75161/75162 type transceivers may be used without additional circuitry (5V VIO only).

The 72110 is register compatible with the NEC  $\mu$ PD 7210 C in GPIB Talker/Listener applications. GPIB Controller functions have been removed from the design.

- Pb-free meeting the RoHS Directive (2002/95/EC)
- 3.3 VCC, 3.3 or 5.0 VIO
- 0.35  $\mu$ m four-layer metal CMOS process
- The following IEEE488.1 interface function are provided:
  - Source Handshake (SH1)
  - Acceptor Handshake (AH1)
  - Talker or Extended Talker (T5 or TE5)
  - Listener or Extended Listener (L3 or LE3)
  - Service Request (SR1)
  - Remote/Local (RL1)
  - Parallel Poll: remote configuration(PP1), local configuration (PP2)
  - Device Clear (DC1)
  - Device Trigger (DT1)
  - No Controller capability (C0)
- Meets all requirements of IEEE488.2-1987:
  - Bus line monitoring
  - Preferred request service implementation
  - Does not source any data without Listeners
  - Listener function disable

### Revision Log

Revision Date	Contents of Moditication
2005-04-29	Initial Release
2005-06-09	Information on GPIB transceivers and transceiver control updated

## 2 Signal Descriptions

The iGPIB 72110 is available in a 100-pin TQFP package. The physical pin types are listed in the following table:

**Pin Type Nomenclature**

Prefix	Description
I	Input
IO	Input/Output
O	Output
zO	Output with Disable
VCC	VCC pin
VCCIO	VCCIO pin
GND	GND pin
NU	Not used

Logical signals are assigned to physical pins. Their names follow a common nomenclature in which signal functions are prefixed by their width and direction:

**Signal Type Nomenclature**

Prefix	Description
iob*	I/O bit
iow* [0:3]	I/O vector with width specification
ob*	Output bit
ow* [0:3]	Output vector with width specification
ib*	Input bit
iw* [0:3]	Input vector with width specification
CAPS	Special purpose signals start with capital cetters

The following table lists all the external signals in order of their pin assignment.

**Signals Listed by Pin Assignment**

Pin	Signal	Pin	Signal	Pin	Signal
1	iwDIO[6]	2	iwDIO[5]	3	iwDIO[1]
4	iwDIO[2]	5	iwDIO[3]	6	iwDIO[4]
7	owDIOoen[4]	8	owDIO[4]	9	GND
10	owDIOoen[3]	11	NU (Connect to Gnd)	12	NU (Connect to Gnd)
13	VCC	14	iwAddr[1]	15	CLK
16	VCC	17	owDIO[3]	18	owDIO[2]
19	owDIOoen[2]	20	owDIO[1]	21	owDIOoen[1]

Pin	Signal	Pin	Signal	Pin	Signal
22	owDIOoen[5]	23	owDIO[5]	24	owDIOoen[6]
25	owDIO[6]	26	JTAG: TDI (Connect to VCC)	27	owDIO[7]
28	owDIOoen[7]	29	owDIO[8]	30	owDIOoen[8]
31	obIFCoen	32	obREN	33	obATNoen
34	obATN	35	GND	36	obSRQoen
37	obIFC	38	GND	39	obNDACoen
40	obNRFDoen	41	obDAV	42	VCCIO
43	obDAVoен	44	obEOI	45	obEOIoен
46	ibEOI	47	ibDAV	48	ibNRFD
49	JTAG: TRSTB (Connect to GND)	50	JTAG: TMS (Connect to VCC)	51	ibNDAC
52	ibIFC	53	ibSRQ	54	ibATN
55	ibREN	56	obDrq	57	ibDackn
58	ibCSn	59	GND	60	ibRdn
61	NU (Connect to Gnd)	62	iwAddr[0]	63	VCC
64	iwAddr[2]	65	ibReset	66	VCC
67	ibWrn	68	iowData[0]	69	iowData[1]
70	iowData[2]	71	iowData[3]	72	iowData[4]
73	iowData[5]	74	iowData[6]	75	iowData[7]
76	JTAG: TCK (Connect to GND)	77	STM(Connect to GND)	78	obSRQ
79	obNDAC	80	obNRFD	81	NU (Do not connect)
82	NU (Do not connect)	83	iwAddr[3]	84	iwAddr[4]
85	GND	86	obIntr	87	obTxPE
88	GND	89	ibTxTR	90	obTxDC
91	obTxTE	92	VCCIO	93	obTxSC
94	obTrig	95	obRENoen	96	NU (Do not connect)
97	NU (Do not connect)	98	iwDIO[7]	99	iwDIO[8]
100	JTAG: TDO (Floating)				

### Signal Functional Description

Signal	Type	Pin	Description
CLK	I	15	Clock input 25 MHz
ibReset	I	65	Reset, active high
obIntr	O	86	Interrupt, active high
ibCSn	I	58	Bus interface unit signals. iwAddr[0:4] specify the register to access. Data is read at the high-to-low transition of ibRdn if ibCsn is low. Data is written at the low-to-high transition of ibWrn if ibCsn is low.
ibRdn	I	60	
ibWrn	I	67	

Signal	Type	Pin	Description
iwAddr[0]	I	62	
iwAddr[1]	I	14	
iwAddr[2]	I	64	
iwAddr[3]	I	83	
iwAddr[4]	I	84	
iowData[0]	IO	68	CPU data lines. These lines become outputs when ibRdn=low and ibCsn=low
iowData[1]	IO	69	
iowData[2]	IO	70	
iowData[3]	IO	71	
iowData[4]	IO	72	
iowData[5]	IO	73	
iowData[6]	IO	74	
iowData[7]	IO	75	
obDrq	O	56	high = DMA request
ibDackn	I	57	low = DMA acknowledge
obATNoen	O	33	GPIB output enable control lines. To be connected to SN74LVTH125DBR transceiver output enable inputs. Define the GPIB line levels. Output transceivers for ATN, IFC, REN are not required in talker/listener applications.
obDAVoен	O	43	
obEOloen	O	45	
obIFCoen	O	31	
obNDACoен	O	39	
obNRFDоен	O	40	
obRENoen	O	95	
obSRQoен	O	36	
owDIOoен[1]	O	21	
owDIOoен[2]	O	19	
owDIOoен[3]	O	10	
owDIOoен[4]	O	7	
owDIOoен[5]	O	22	
owDIOoен[6]	O	24	
owDIOoен[7]	O	28	
owDIOoен[8]	O	30	
ibATN	I	54	
ibDAV	I	47	
ibEOI	I	46	
ibIFC	I	52	
ibNDAC	I	51	

Signal	Type	Pin	Description	
ibNRFD	I	48		
ibREN	I	55		
ibSRQ	I	53		
iwDIO[1]	I	3		
iwDIO[2]	I	4		
iwDIO[3]	I	5		
iwDIO[4]	I	6		
iwDIO[5]	I	2		
iwDIO[6]	I	1		
iwDIO[7]	I	98		
iwDIO[8]	I	99		
obATN	O	34		GPIB output data lines. To be connected to SN74LVTH125DBR transceiver data inputs. Define the GPIB line level if the corresponding transceiver is enabled. Output transceivers for ATN, IFC, REN are not required in talker/listener applications.
obDAV	O	41		
obEOI	O	44		
obIFC	O	37		
obNDAC	O	79		
obNRFD	O	80		
obREN	O	32		
obSRQ	O	78		
owDIO[1]	O	20		
owDIO[2]	O	18		
owDIO[3]	O	17		
owDIO[4]	O	8		
owDIO[5]	O	23		
owDIO[6]	O	25		
owDIO[7]	O	27		
owDIO[8]	O	29		
GND	GND	35	Power and signal GND	
GND	GND	59		
GND	GND	38		
GND	GND	85		
GND	GND	88		
GND	GND	9		
JTAG: TDI (Connect to VCC)	I	26	JTAG boundary scan ports.	
JTAG: TMS (Connect to VCC)	I	50		
JTAG: TCK (Connect to GND)	I	76		

Signal	Type	Pin	Description
JTAG: TRSTB (Connect to GND)	I	49	
STM(Connect to GND)	I	77	
JTAG: TDO (Floating)	O	100	
obTrig	O	94	Trigger pulse output
ibTxTR	I	89	Transceiver configuration: high = 75160/61/62 type transceivers, low = 74LV type transceivers.
obTxDC	O	90	Control outputs for 75160/61/62 type transceivers. Connect to the corresponding transceiver inputs.
obTxPE	O	87	
obTxTE	O	91	
obTxSC	O	93	
VCCIO	VCCIO	42	VCCIO = 5.0V
VCCIO	VCCIO	92	
VCC	VCC	13	VCC = 3.3V
VCC	VCC	16	
VCC	VCC	63	
VCC	VCC	66	
NU (Connect to Gnd)	I	11	Reserved signal pins
NU (Connect to Gnd)	I	12	
NU (Connect to Gnd)	I	61	
NU (Do not connect)	O	81	
NU (Do not connect)	O	82	
NU (Do not connect)	O	96	
NU (Do not connect)	O	97	

## 2.1 GPIB Interface Notes

The iGPIB 72110 can be used with 3.3V or 5.0V signal levels. The signal level used is defined by VCCIO pins of the circuit. The GPIB IEEE-488 specification specifies 5V TTL signal levels to be used on the GPIB lines. For that reason, the interface between the iGPIB 72110 and the GPIB is via general-purpose transceivers which provide the necessary voltage adaption.

### Input Signals

To receive data from the GPIB, use SN74LVC244ADBDR buffers. Connect the A inputs of the buffer to the GPIB terminal and the Y output to the matching iGPIB 72110 input pin. Fix the buffers G input to low (i.e. always enabled). For the sixteen GPIB input lines, two SN74LVC244ADBDR are required.

### Output Signals

To send data to the GPIB, use SN74LVTH125DBR buffers. Connect the data input of the buffer to the matching data output of the iGPIB 72110. Connect the output enable input of the buffer to the matching enable (oen) output of the iGPIB 72110. Connect the outputs of the buffer to the GPIB terminals by a 10 Ohms resistor each. For the sixteen GPIB output lines, four SN74LVTH125DBR are required.

## Termination

The GPIB terminals require resistive termination to work according to the IEEE-488 specification. To provide the required termination, connect each GPIB signal line to V+ (power supply voltage) and GND by two resistors RL1 and RL2, respectively.

### Resistive Termination Values

V+	RL1(VCC)	RL2(GND)	Tolerance
5.0V	3.0 kOhms	6.2kOhms	5%
3.3V	1.8 kOhms	8.2kOhms	5%

## Using 7516X type transceivers

The iGPIB 72110 can also be used with standard 75160/75161/75162 type GPIB transceivers, provided that:

- As the 7516X type transceivers work on 5.0 volts signal levels only, you must use a VCCIO of 5.0 volts for this configurations.
- For each GPIB signal line, connect the corresponding GPIB input and output of the iGPIB 72110 to the TERMINAL side pins of the 7516X type transceiver.
- Connect the obTxDC, obTxPE, obTxTE, and obTxSC line to the corresponding pins of the 7516X type transceivers.
- In order to disable the GPIB output data lines of the iGPIB 72110 when these are driven by the 7516X type transceiver you must set ibTxTR = high.
- No extra resistive termination is required as this is provided by the BUS side pins of the 7516X type transceiver.

### 3 Register Set

The iGPIB 72110 provides 17 registers (8 write/9 read). The lower 8 registers are compatible to the NEC 7210 registers.

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
D7	D6	D5	D4	D3	D2	D1	D0	0	R	Data In
B7	B6	B5	B4	B3	B2	B1	B0	0	W	Byte Out
CPT	APT	DET	END	DEC	ERR	DO	DI	1	R	Interrupt Status 1
CPT	APT	DET	END	DEC	ERR	DO	DI	1	W	Interrupt Mask 1
INT	0	LOK	REM	0	LOKC	REMC	ADSC	2	R	Interrupt Status 2
0	0	DMAO	DMAI	0	LOKC	REMC	ADSC	2	W	Interrupt Mask 2
S8	PEND	S6	S5	S4	S3	S2	S1	3	R	Serial Poll Status
S8	rsv	S6	S5	S4	S3	S2	S1	3	W	Serial Poll Mode
0	0	SPMS	LPAS	TPAS	LA	TA	MJMN	4	R	Address Status
ton	lon	0	0	0	0	ADM1	ADM0	4	W	Address Mode
CPT7	CPT6	CPT5	CPT4	CPT3	CPT2	CPT1	CPT0	5	R	Command Pass Through
CNT2	CNT1	CNT0	COM4	COM3	COM2	COM1	COM0	5	W	Auxiliary Registers
0	DT0	DL0	AD5-0	AD4-0	AD3-0	AD2-0	AD1-0	6	R	Address 0
ARS	DT	DL	AD5	AD4	AD3	AD2	AD1	6	W	Address 0/1
EOI	DT1	DL1	AD5-1	AD4-1	AD3-1	AD2-1	AD1-1	7	R	Address 1
EOS7	EOS6	EOS5	EOS4	EOS3	EOS2	EOS1	EOS0	7	W	EOS
F1	F2	F3	CEN	CR3	CR2	CR1	CR0	0xE	R	Core Parameter Register

#### 3.1 Data Registers

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
D7	D6	D5	D4	D3	D2	D1	D0	0	R	Data In
B7	B6	B5	B4	B3	B2	B1	B0	0	W	Byte Out

These data registers are used for transferring commands and data between the GPIB and the microcomputer system.

The Data In Register holds data sent from the talker over the GPIB when the iGPIB 72110 is addressed as the listener. Data is output over the data bus with a read operation. The contents of the Data In register is held until the next byte is received.

The Byte Out register holds data or a command written to it by a write operation and sends the data or command to the GPIB. The contents of the Byte Out register is updated by a write operation.

## 3.2 Interrupt Registers

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
CPT	APT	DET	END	DEC	ERR	DO	DI	1	R	Interrupt Status 1
CPT	APT	DET	END	DEC	ERR	DO	DI	1	W	Interrupt Mask 1
INT	0	LOK	REM	0	LOKC	REMC	ADSC	2	R	Interrupt Status 2
0	0	DMAO	DMAI	0	LOKC	REMC	ADSC	2	W	Interrupt Mask 2

The interrupt registers are composed of interrupt status bits, interrupt mask bits and other bits not associated with interrupts. Reading an interrupt state registers clears the corresponding interrupts. All interrupts can be masked by writing to the interrupt mask register at the corresponding address. Any bit set in the interrupt mask register causes an interrupt, if a 1 occurs in the corresponding interrupt status register.

### 3.2.1 Interrupt Bits in the Interrupt Status Registers

<b>CPT</b>	Command Pass Through. This bit indicates that an undefined command has been received via the GPIB or that a secondary command has been received following to an unknown command. It will only be set if the auxiliary register bit B0=1, which makes it possible to pass unknown commands (i.e. not decoded by the iGPIB 72110 ) to the processor. The handshake will be held off until the auxiliary command "valid" is issued by the CPU.
<b>APT</b>	Address Pass Through. This bit indicates that a secondary address has been received, which has to be checked by the CPU. This is only provided in address mode 3. The handshake will be held off until one of the auxiliary commands "valid" or "not valid" is issued by the CPU.
<b>DET</b>	Device Trigger. This bit indicates that a trigger message (GET when LADS) has been received.
<b>END</b>	END message received. This bit indicates that either the EOI or the EOS (Data In register equals EOS register) message has been received.
<b>DEC</b>	This bit indicates that a clear (DCL, or, SDC when LADS) message has been received.
<b>ERR</b>	Error. This bit indicates that the contents of the Byte Out register has been lost. It will be set if data has been sent without listener addressed or if a byte has been written to the Data Out register during source idle state (SIDS).
<b>DO</b>	Data Out. This bit indicates a data write request to the Byte Out register.
<b>DI</b>	Data In. This bit indicates a reception of a data byte from the GPIB Bus. In continuous mode it will never be set.
<b>LOKC</b>	Lockout Change. This bit indicates that the LOK-bit in interrupt status register 2 has changed.
<b>REMC</b>	Remote Change. This bit indicates that the REM-bit in interrupt status register 2 has changed.
<b>ADSC</b>	Address Status Change. This bit indicates that one of the bits TA, LA, CIC or MJMN has changed in the address status register.

### 3.2.2 Non Interrupt Bits in the Interrupt State Registers

<b>LOK, REM</b>	Lockout, Remote. These bits indicate the state of the RL (Remote/Local) functions. The LOK bit indicates that the function is in local(remote) with lockout state (LWLS or RWLS). The REM-bit indicates that the function is in remote state (REMS) or remote with lockout state (RWLS), respectively.
-----------------	--

**DMAO, DMAI** DMA Output, DMA Input. These bits control the DMA transfer between memory and the GPIB bus. If DMAO=1, and the Byte Out register is not full, a DMA request will be generated. If DMAI=1, a DMA request will be generated as soon as a byte has been received from the GPIB bus.

**INT** Interrupt. This bit indicates that an interrupt has occurred. It is generated by an OR operation of all unmasked interrupt bits.

### 3.3 Serial Poll Register

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
S8	PEND	S6	S5	S4	S3	S2	S1	3	R	Serial Poll Status
S8	rsv	S6	S5	S4	S3	S2	S1	3	W	Serial Poll Mode

The serial poll register can be read or written. The CPU writes the status byte (STB) into this register, which is sent when the GPIB system's Controller in Charge performs a serial poll. If the CPU sets the "rsv" bit to 1, the internal message *rsv* will be set. This generates a service request (SRQ line asserted) as soon as the chip is not in SPAS state. The *rsv* bit is cleared during serial poll (resets the SRQ line). The CPU can read the status byte (STB), written to the serial poll mode register, from the serial poll status register. Testing the PEND bit checks if the serial poll request has been serviced: the PEND bit is set when the rsv bit becomes 1. It is cleared when the serial poll function changes from APRS to NPRS. This way software can check if the the GPIB controller has already recognized the service request by a serial poll.

### 3.4 Address Mode and Status Registers

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
ton	lon	0	0	0	0	ADM1	ADM0	4	W	Address Mode

The Address Mode register is used to set the address mode. The states of various interface functions can be read from the Address Status register.

In the Address Mode register the bits ton, lon, ADM0 and ADM1 specify the address mode:

ton	lon	ADM1	ADM0	Address Mode	Addr. Reg. 0	Addr. Reg. 1
1	0	0	0	talk only	not used	not used
0	1	0	0	listen only	not used	not used
0	0	0	1	Address Mode 1	1st talker-(listener-) address	2nd talker-(listener-) address
0	0	1	0	Address Mode 2	primary talker-(listener-) address	secondary talker-(listener-) address
0	0	1	1	Address Mode 3	1st primary talker-(listener-) address	2nd primary talker-(listener-) address

### Talk only or Listen only (ton or lon = 1)

In this modes, the recognition of the device address is not required. Therefore, the address registers are not used.

#### Address-Mode 1

In this mode, only primary addresses are used for talker and listener addressing. Up to two primary device addresses will be recognized.

#### Address-Mode 2

Talker/listener are operating in extended mode (TE, LE). Primary and secondary addresses are required to perform addressing. The recognition of primary and secondary address is managed by the hardware. A second primary address will not be recognized.

#### Address-Mode 3

Talker/listener are operating in extended mode (TE, LE). Primary and secondary addresses are required to perform addressing. The identification of the secondary address must be done by the CPU. Two primary device addresses may be recognized.

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
0	0	SPMS	LPAS	TPAS	LA	TA	MJMN	4	R	Address Status

The bits LPAS, TPAS, LA, TA, MJMN and SPMS indicate the states of the corresponding interface functions. LPAS and TPAS indicate the listener/talker primary addressed state. If enabled, changes of the bits LA, TA and MJMN initiate an ADSC interrupt. The bit SPMS (Serial Poll Mode State) indicates that a serial poll is in progress. It is set with SPE and it is cleared by SPD or IFC. MJMN is set on receipt of the 2nd talk or listen address. It is cleared on receipt of the 1st talk or listen address.

## 3.5 Address Registers

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
ARS	DT	DL	AD5	AD4	AD3	AD2	AD1	6	W	Address 0/1
-	DT0	DL0	AD5-0	AD4-0	AD3-0	AD2-0	AD1-0	6	R	Address 0
EOI	DT1	DL1	AD5-1	AD4-1	AD3-1	AD2-1	AD1-1	7	R	Address 1

There are 2 address read registers and 1 address write register. Depending on the ARS-bit, the write register can access two 7-bit wide registers. Each of these registers contains a 5-bit wide address and the information whether this address represents a talker, a listener or both. The bit ARS (Address Register Select) specifies into which of the address registers the bits 0-6 shall be written (ARS=0 selects address register 0, ARS=1 selects address register 1). The specified address (AD1-AD5) will be recognized as talker address, if bit DT (Disable Talker) is 0. Bit DL (Disable Listener) = 0 specifies the address as a listener address. The bits DL0, DT0, DL1 and DT1 in the read registers correspond to the DL and DT bits in the corresponding write register. The bit EOI indicates the state of the EOI line at the time when the current data byte found in the data-in register has been received.

### 3.6 Command Pass Through Register

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
CPT7	CPT6	CPT5	CPT4	CPT3	CPT2	CPT1	CPT0	5	R	Command Pass Through

The CPT-register can be used to determine the state of the data lines of the GPIB. This is necessary if a DAC holdoff has been initiated and the CPU must qualify the current interface message.

### 3.7 EOS Register

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
EOS7	EOS6	EOS5	EOS4	EOS3	EOS2	EOS1	EOS0	7	W	EOS

The EOS register holds the seven- or eight-bit EOS message used by the GPIB interface to detect the end of a data block transfer. The width of EOS recognition is specified by the auxiliary register bit A4 (EOS-width).

### 3.8 Auxiliary Registers

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
0	0	0	C4	C3	C2	C1	C0	5	W	Auxiliary Command Execution
0	1	1	U	S	P2	P1	P0	5	W	Parallel Poll Register
1	0	0	A4	A3	A2	A1	A0	5	W	Auxiliary. Register A
1	0	1	B4	0	B2	B1	B0	5	W	Auxiliary. Register B
1	1	0	0	E3	E2	E1	E0	5	W	Auxiliary. Register E

The auxiliary register system consists of 4 auxiliary registers and 2 command registers. All these registers are accessed by a write operation to address 5. The data bit 7-5 select the target auxiliary register or command, respectively. Do not write to undefined auxiliary registers.

#### 3.8.1 Auxiliary commands

Auxiliary commands are initiated by writing the byte 000C4C3C2C1C0 from the CPU into the auxiliary register. These commands are used to signal internal messages and to specify various operating modes.

##### Immediate Execute pon 00000

This command inverts the state of the internal message pon (POWER ON). If pon=1 all interface functions are placed in their idle states. Note: pon is 1 after Reset.

##### Chip Reset 00010

Chip Reset sets pon=1. All registers are cleared.

##### Finish Handshake 00011

This command finishes handshake by releasing the RFD holdoff state.

### Trigger 00100

The command generates a trigger pulse at pin obTrig. obTrig is also pulsed in the active state of the Device Trigger function (DTAS), i.e. when a GET command is received from the Controller in Charge.

### Return to Local 0X101

This command generates the internal message RTL. If X=1, then RTL will be set, otherwise RTL will be reset or pulsed, respectively.

### Send EOI 00110

The next data byte written to the Byte Out register will be sent with the END message true. This can only be done in TACS.

### Not Valid 00111

A handshake that has been held off by "address pass through" will continue. The secondary address is qualified as "not valid" by the CPU.

### Valid 01111

A handshake that has been held off by "address pass through", will continue. The secondary address is qualified as "valid" by the CPU.

### Set Parallel Poll Flag 0X001

This command sets the parallel poll flag to the value of bit C3(X). If the auxiliary register bit B4 is 0, the value of this flag is handled as internal message "ist" (individual status). Otherwise the service request state (SRQS) is used as "ist" signal.

### Listen 10011

Listen pulses the internal message "ltn". If necessary, the continuous mode is disabled.

### Listen in Continuous Mode 11011

This command pulses the internal message "ltn". In addition, the continuous mode will be enabled. This mode will be disabled when the auxiliary command "ltn" is detected or LIDS (listener idle state) is entered.

### Local Unlisten 11100

This command pulses the internal message "lun".

## 3.8.2 Parallel Poll Register

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
0	1	1	U	S	P2	P1	P0	5	W	Parallel Poll Register

Writing the byte 011USP3P2P1 to the auxiliary register allows to write to the parallel poll register. When using the subset PP1 (remote configuration) it should not be written to this register. In this case the PPE message issued by the controller defines the parallel poll message. A PPD message issued by the controller disables the parallel poll response.

When using subset PP2 (local configuration) the response message must be written to this register in advance. The parallel poll response line is specified by the first 3 bits of this register. The 4th bit specifies if the chosen line will be set true or false on occurrence of the internal message "ist" (individual status): The message will be set true if "ist" equals bit S (4th bit). The 5th bit U contains the internal message "lpe~". If U = 0, the response to the parallel poll response is enabled. If U = 1, the parallel poll response is disabled and the bits S and P1-3 have no meaning, they should be reset to 0.

### 3.8.3 Auxiliary Register A

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
1	0	0	A4	A3	A2	A1	A0	5	W	Auxiliary. Register A

The 5 bits of the auxiliary register A are used to specify handshake mode and the EOS message handling. The bits A0 and A1 specify the handshake mode. The bits A2, A3 and A4 specify the EOS handling:

A1	A0	Handshake Mode
0	0	normal
0	1	Blocked RFD message for all data
1	0	Blocked RFD message for END message
1	1	Continuous mode

Bit	Value	Function	
A2	1	Set	END interrupt bit set when EOS received
	0	Don't set	
A3	1	Send	EOI automatically on EOS sent
	0	Don't send	
A4	1	8-bit	width of EOS comparison
	0	7-bit	

### 3.8.4 Auxiliary Register B

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
1	0	1	B4	0	B2	B1	B0	5	W	Auxiliary. Register B

The auxiliary register B specifies special hardware features of the interface.

Bit	Value	Function	
B0	1	Set	CPT interrupt bit set on the detection of an unknown GPIB command
	0	Don't set	
B1	1	Send	END with the status byte in SPAS
	0	Don't send	
B2	1	500ns	T1 speed for all data bytes transmitted except the first byte.
	0	standard	
B4	1	ist=SRQS	source of the ist local message.
	0	ist=Parallel Poll Flag	

**Note**

The B3 bit appearing in the original NEC 7210 has been removed from the design. The polarity of the INT pin always depends on the bus interface unit.

### 3.8.5 Auxiliary Register E

D7	D6	D5	D4	D3	D2	D1	D0	Adr. (HEX)	R/W	Name
1	1	0	0	0	0	E1	E0	5	W	Auxiliary Register E

The auxiliary register E consists of 2 bits. They specify the DAC holdoff handling.

Bit	Value	Function	
E0	1	Enables	DAC holdoff in DCAS (DCL, SDC command received)
	0	Disables	
E1	1	Enables	DAC holdoff in DTAS (GET command received)
	0	Disables	

## 4 Using the iGPIB 72110

### 4.1 Processing Undefined Commands

When  $B0=1$ , the DAC message is held false and the CPT bit is set when an undefined command is received. The CPU reads the undefined code via the CPT register. The handshake that stopped is completed when the Valix auxiliary command is issued.

When  $B0=0$ , the handshake is completed, just as when a defined command is received, and the CPT bit remains 0. The received code is ignored.

A secondary command received immediately after an undefined primary command is handled as an undefined command.

### 4.2 Processing Address Pass Through

The APT bit is set when the secondary address is received. This is the case when a secondary command is received in address mode 3 and  $LPAS+TPAS=1$ .

- In Address Mode 3 ( $ton=lon=0$  and  $ADM1=ADM0=1$ ) the TE and LE interface functions are used as the talker and listener, respectively. Address register 0 holds the first primary address and address register 1 holds the second primary address.
- The  $LPAS+TPAS=1$  condition is satisfied when either the MTA (My Talk Address) or the MLA (My Listen Address) has been received.

When the APT bit is set, the handshake stops with the DAC messages held false just as when the CPT bit is set. The CPU must then perform the following:

- determine whether the secondary command just received is a listen, talk, major, or minor address by reading the LPAS, TPAS, and MJMN bits of the address status register
- determine whether the secondary command read through the CPT register is my address. If it is my address, the Valid auxiliary command must be issued. If it is not my address, the Non-valid auxiliary command must be issued.

When the Valid auxiliary command is received, the iGPIB 72110 assumes that the MSA (My Secondary Address) message has been received. When this command is issued,  $LADS=TIDS:=1$  (if  $LPAS=1$ ) or  $TADS=LIDS:=1$  (if  $TPAS=1$ ) is set, the DAC message is sent true, and the handshake is finished. When the Non-valid auxiliary command is received, the iGPIB 72110 assumes that the OSA (Other Secondary Address) message has been received. The core set  $TIDS:=1$  (if  $TPAS=1$ ) the DAC message is sent true, and the handshake is finished.

### 4.3 Transmitting Data

When a data request is received ( $DO=1$ ), one byte of data is transmitted by a write to the Byte Out register. This process is repeated to send several bytes. The DO bit is cleared when the interrupt status register is read, or, when a write is made to the Byte Out register.

You can use DMA for sending or receiving data. When a request to send data is received and  $DMAO=1$ , or when new data can be written to the Byte Out register and  $DMAI=1$ , a DMA request is generated ( $DMAREQ=1$ ).

#### Note

DMA might not be available on all bus interface units.

## 4.4 Receiving Data

When the CPU receives a data receive request, the contents of the Data In register is read. Data is received in the four modes below.

### Normal Handshake Mode (A0=A1=0)

The device receives data as a listener, a data receive request (DI=1) is made and the RFD message is sent false. When the data is read from the Data In register, the RFD message is sent true, informing the talker that the listener is ready for the next data.

### RFD Holdoff on All Data Mode (A0=1, A1=0)

When the device receives data as a listener, a data receive request (DI=1) is made and the RFD message is sent false, just as in normal handshake mode. However, even if the CPU reads the received data from the Data In register, the RFD message is held false until the Finish Handshake auxiliary command is issued. While the RFD message is being held false, the next data byte is not received and the contents of the Data In register is not updated. Therefore, the CPU can read the same data several times, if desired.

### RFD Holdoff on End Mode(A0=0, A1=1)

In this mode, the RFD message is sent and held false when the data is received with the END bit set. Issue the Finish Handshake auxiliary command to send the RFD message true. The function is the same as in normal handshake mode unless the END bit is set.

### Continuous Mode

In this mode, the RFD message is sent true in response to the DAV message unless the END bit is set. When the END bit is set, operation proceeds as in RFD Holdoff in End mode. This mode is used for data block end detection.

## 4.5 Completing Data Block Transfer

In accordance with IEEE Std. 488-1987, the following two methods are provided for detecting the end of a data block.

### Placing EOS Byte After Data Block

The EOS code may be user-defined, but it is not possible to identify the EOS message if a code appearing in the data block is used. You may not use it if the data block contains arbitrary eight-bit data bytes. If ASCII code is used, use the LF code as EOS and the others as data bytes.

The transmission of the EOS byte works the same way as the transmission of a data byte. When DO=1, the EOS message can be transmitted by writing the EOS code to the Byte Out register.

### Using the EOI Line

In this method, the END message (EOI=1) is sent out with the last byte of the data block.

In order to transmit the END message, use the Send EOI auxiliary command. After the Send EOI auxiliary command is issued to the iGPIB 72110 the END message is transmitted with the next data byte written to the Byte Out register.

When A3=1 (Output EOI on EOS Sent), the END message is sent when the EOS message is sent (based on the contents of the Byte Out register, the EOS register, and the value of A4).

### Detecting the EOS Message

When A2=1 (End on EOS Received), the END bit is set when the EOS message is received. Receipt of the EOS message is controlled by the contents of the Data In register, the EOS register, and the value of A4.

### **Detecting the END Message**

The END bit is set when the END message is received in LACS. You can identify the END or EOS message because the value of the EOI line is latched in the EOI bit when data is received and data itself is latched in the Data In register.

## **4.6 Serial Polling**

To request service, you must confirm that there is no pending service request (PEND=0). Write the STB into the serial poll mode register with the local message rsv=1. If the device is not in SPAS, the SRQ message is sent true as soon as the rsv message is set. If the device is in SPAS, the SRQ message remains false until the serial polling is complete (SPAS=0). The PEND bit indicates whether a service request is accepted or left pending. It is set when rsv=1 and cleared then the STB is read out by the controller-in-charge (SPAS=0), or when the local message rsv is cleared before SPAS=1.

The STB set to the serial poll mode register is sent out when the STB is asked to send. The STB is sent only once even if the controller does not assert ATN after the first transfer. The END message is sent out with the STB if B1=1.

## **4.7 Parallel Poll Protocol**

Before a parallel poll is executed, you must specify the which line of DIO1 to DIO8 the one bit status (ist:individual status) should be output and which polarity should be used. The following two methods are provided for this.

### **Remote Configuration (PP1)**

In this method, the specifications are made by either PPE or PPD messages sent from the controller. Specifications by the CPU are not required in Remote Configuration.

### **Local Configuration (PP2)**

In this method, the specifications are made locally at the device. In the Local Configuration you must write the appropriate bit values to the parallel poll register.

## 5 Timing Specifications

**Timing Specifications**

Symbol	Description	min (ns)	max (ns)
tas	address setup time	0	
tah	address hold time	55	
taa	address active time	110	
tcs	chip select setup time	0	
tch	chip select hold time	0	
twl	write low time	110	
twh	write high time	110	
trl	read low time	110	
trh	read high time	110	
tds	data setup time	110	
tdh	data hold time	0	
trd	data read delay time		150
tdf	data to float time		100
tdrqh	dma request hold time		150
tdacs	dma ack setup time	0	
tdach	dma ack hold time	0	

## 6 Electrical Specifications

Stresses beyond those listed in 'Absolute Maximum Ratings' may cause permanent damage to the circuit. The functional operation is made sure only within the limits of the 'Operating Range'. Exposure to absolute maximum rating conditions for extended periods may affect reliability.

### Absolute Maximum Ratings

Parameter	Value	Parameter	Value
VCC Voltage	-0.5 V ... 4.6 V	DC Input Current	±20 mA
VCCIO Voltage	-0.5 V ... 7.0 V	ESD Pad Protection	±2000 V
Input Voltage	-0.5 V ... VCCIO +0.5 V	Storage Temperature	-65°C to +150°C
Latch-up Immunity	±200 mA	Lead Temperature	300°C

### Operating Range

Symbol	Parameter	Mil. Min.	Mil. Max.	Ind. Min.	Ind. Max.	Com. Min.	Com. Max.	Unit
VCC	Supply Voltage	3.0	3.6	3.0	3.6	3.0	3.6	V
VCCIO	I/O Input Tolerance Voltage	4.75	5.5	4.75	5.5	4.75	5.25	V
TA	Ambient Temperature	-55	-	-40	85	0	70	°C
TC	Case Temperature	-	125	-	-	-	-	°C

### AC Characteristics

Symbol	Parameter	Conditions	Min.	Max.	Units
FC	Clock Frequency		24.5	25.5	MHz
TCH	Clock High Time		40% of nominal period	60% of nominal period	ns
TCL	Clock Low Time		40% of nominal period	60% of nominal period	ns

### DC Characteristics

Symbol	Parameter	Conditions	Min.	Max.	Units
VIH	Input HIGH Voltage		0.5 VCC	VCCIO+0.5	V
VIL	Input LOW Voltage		-0.5	0.3 VCC	V
VOH	Output HIGH Voltage	IOH = -12 mA	2.4	VCC	V
		IOH = -500 µA	0.9 VCC	VCC	V
VOL	Output LOW Voltage	IOL = 16 mA(a)		0.45	V
		IOL = 1.5 mA		0.1 VCC	V
II	I or I/O Input Leakage Current	VI = VCCIO or GND	-10	10	µA
IOZ	3-State Output Leakage Current	VI = VCCIO or GND	-10	10	µA
CI			10	pF	
IOS	Output Short Circuit Current(c)	VO = GND	-15	-180	mA



Symbol	Parameter	Conditions	Min.	Max.	Units
		VO = VCC	40	210	mA
ICCIO	D.C. Supply Current on VCCIO		0	100	μA

### Power-Up Sequencing

When powering up a device, the VCC/VCCIO rails must take 400 μs or longer to reach the maximum value. NOTE: Ramping VCC/VCCIO to the maximum voltage faster than 400 μs can cause the device to behave improperly.

---

## 7 Mechanical and Chemical Specifications

### 7.1 RoHS Conformance

Meeting the RoHS Directive (2002/95/EC) the iGPIB 72110 is lead free (Pb-free). INES has chosen the Sn/Ag/Cu alloy as the solder ball alloy for laminate/ball grid array products, and Sn(matte) as the lead finish for lead-frame based products.

---

## 8 Mechanical and Chemical Specifications

### 8.1 RoHS Conformance

Meeting the RoHS Directive (2002/95/EC) the iGPIB 72110 is lead free (Pb-free). INES has chosen the Sn/Ag/Cu alloy as the solder ball alloy for laminate/ball grid array products, and Sn(matte) as the lead finish for lead-frame based products.